



TANKLESS WATER HEATER



HIGH VOLUME & HIGH FLOW RATE




Bathroom X4



Laundry room X2



Kitchen X2



Garden or garage X1

Large water supply can accommodate up to four bathrooms and multiple home appliances at the same time.

STABLE TEMPERATURE CONTROL SYSTEM



Lead-free 304
Stainless steel
heat exchanger



Electronic
thermostatic
PCB



EDM BLDC
variable-speed
fan

MODEL SPECIFICATIONS

MODEL	MHWH199NCLU MHWH199NCNU
Rated Water Output Capacity	32 L/min
Nominal Power / Rated Heat Input	199,000 BTU/h
Suitable water pressure	70-140Psi
Gas inlet	NPT3/4
Cold inlet water	NPT3/4
Hot outlet water	NPT3/4
Flue pipe / Chimney diamete	2" or 3"
Rated Voltage / Freq	120V AC,60Hz
Efficiency	92%
Certification	CSA
N.W lbs (kg)	68.34 (31)
G.W lbs (kg)	73.85 (33.5)
Product dimensions (inches)	26.8" × 17.3" × 11.0"
Product dimensions (mm)	680.72 × 439.42 × 279.4
Packaging dimensions (inches)	33.2" × 20.3" × 13.7"
Packaging dimensions (mm)	843.28 × 515.62" × 347.98
Loading Qty (200P/400P/40HQ)	188/ 380/ 454



TANKLESS WATER HEATER

advanced engineering | high efficiency | environmental friendly

ULTRA-LOW NO_x & CO EMISSION TECHNOLOGY

Enjoy endless comfort running multiple hot water appliances at the same time. With the MRCOOL® Tankless Water Heater, waiting is no longer necessary. Instead, use that time to indulge and pamper yourself in a hot and relaxing tub or shower. Our Tankless Water Heater uses advanced technology to generate uniform heat, increase output, and create higher efficiency. It is also built with corrosion-resistant stainless steel for a better heat exchanger life, giving you peace of mind that your unit will last longer than a traditional water heater.



- ✓ Advanced Heat Exchanger Technology
- ✓ High Efficiency
- ✓ Eco-Friendly Premixed Burner
- ✓ Free of Lead & Toxic Materials
- ✓ Anti-Freeze Protection
- ✓ Meets SCAQMD Standards
- ✓ Smart Self-Adapting Temperature Regulation



48 Remington Way • Hickory, KY 42051 • 270.366.0457

*Display Images for demonstrative purposes only. Actual images during product use may vary.

www.mrcool.com